


Adequacy of Linear Regression Models


<http://numericalmethods.eng.usf.edu>

Transforming Numerical Methods Education for STEM Undergraduates

Data



Is this adequate?



Straight Line Model

Quality of Fitted Data

- **Does the model describe the data adequately?**
- **How well does the model predict the response variable predictably?**

Linear Regression Models

- **Limit our discussion to adequacy of straight-line regression models**

Four checks


1. Plot the data and the model.
2. Find standard error of estimate.
3. Calculate the coefficient of determination.
4. Check if the model meets the assumption of random errors.

1. Plot the data and the model

Data and model

T (F)	α ($\mu\text{in/in/F}$)
-340	2.45
-260	3.58
-180	4.52
-100	5.28
-20	5.86
60	6.36

$$\alpha(T) = 6.0325 + 0.0096964T$$



2. Find the standard error of estimate

Standard error of estimate

$$s_{\alpha/T} = \sqrt{\frac{S_r}{n-2}}$$

$$S_r = \sum_{i=1}^n (\alpha_i - a_0 - a_1 T_i)^2$$

Standard Error of Estimate

$$\alpha(T) = 6.0325 + 0.0096964T$$

T_i	α_i	$a_0 + a_1 T_i$	$\alpha_i - a_0 - a_1 T_i$
-340	2.45	2.7357	-0.28571
-260	3.58	3.5114	0.068571
-180	4.52	4.2871	0.23286
-100	5.28	5.0629	0.21714
-20	5.86	5.8386	0.021429
60	6.36	6.6143	-0.25429

Standard Error of Estimate


$$S_r = 0.25283$$

$$S_{\alpha/T} = \sqrt{\frac{S_r}{n-2}}$$

$$= \sqrt{\frac{0.25283}{6-2}}$$

$$= 0.25141$$

Standard Error of Estimate



$$\text{Scaled Residual} = \frac{\alpha_i - a_0 - a_1 T_i}{s_{\alpha/T}}$$

Scaled Residuals

$$\text{Scaled Residual} = \frac{\text{Residual}}{\text{Standard Error of Estimate}}$$

$$\text{Scaled Residual} = \frac{\alpha_i - a_0 - a_1 T_i}{s_{\alpha/T}}$$

95% of the scaled residuals need to be in $[-2, 2]$

Scaled Residuals

$$S_{\alpha/T} = 0.25141$$

T_i	α_i	Residual	Scaled Residual
-340	2.45	-0.28571	-1.1364
-260	3.58	0.068571	0.27275
-180	4.52	0.23286	0.92622
-100	5.28	0.21714	0.86369
-20	5.86	0.021429	0.085235
60	6.36	-0.25429	-1.0115

**3. Find the coefficient of
determination**

Coefficient of determination


$$S_t = \sum_{i=1}^n (\alpha_i - \bar{\alpha})^2$$

$$S_r = \sum_{i=1}^n (\alpha_i - a_0 - a_1 T_i)^2$$

$$r^2 = \frac{S_t - S_r}{S_t}$$


Sum of square of residuals between data and mean

$$S_t = \sum_{i=1}^n (\alpha_i - \bar{\alpha})^2$$



Sum of square of residuals between observed and predicted

$$S_r = \sum_{i=1}^n (\alpha_i - a_0 - a_1 T_i)^2$$



Calculation of S_t

T_i	α_i	$\alpha_i - \bar{\alpha}$
-340	2.45	-2.2250
-260	3.58	-1.0950
-180	4.52	0.15500
-100	5.28	0.60500
-20	5.86	1.1850
60	6.36	1.6850

$$\bar{\alpha} = 4.6750$$

$$S_t = 10.783$$

Calculation of S_r

T_i	α_i	$a_0 + a_1 T_i$	$\alpha_i - a_0 - a_1 T_i$
-340	2.45	2.7357	-0.28571
-260	3.58	3.5114	0.068571
-180	4.52	4.2871	0.23286
-100	5.28	5.0629	0.21714
-20	5.86	5.8386	0.021429
60	6.36	6.6143	-0.25429

$$S_r = 0.25283$$

Coefficient of determination

$$r^2 = \frac{S_t - S_r}{S_t}$$

$$= \frac{10.783 - 0.25283}{10.783}$$

$$= 0.97655$$

Limits of Coefficient of Determination

$$r^2 = \frac{S_t - S_r}{S_t}$$

$$0 \leq r^2 \leq 1$$

Correlation coefficient

$$r = \sqrt{\frac{S_t - S_r}{S_t}} \\ = 0.98820$$

How do you know if r is positive or negative ?

What does a particular value of $|r|$ mean?

0.8 to 1.0 - Very strong relationship


0.6 to 0.8 - Strong relationship

0.4 to 0.6 - Moderate relationship


0.2 to 0.4 - Weak relationship

0.0 to 0.2 - Weak or no relationship

Final Exam Grade



Final Exam Grade vs Pre-Req GPA



4. Model meets assumption of random errors

Model meets assumption of random errors

- Residuals are negative as well as positive
- Variation of residuals as a function of the independent variable is random
- Residuals follow a normal distribution
- ~~• There is no autocorrelation between the data points.~~

Therm exp coeff vs temperature


T	α
60	6.36
40	6.24
20	6.12
0	6.00
-20	5.86
-40	5.72
-60	5.58
-80	5.43

T	α
-100	5.28
-120	5.09
-140	4.91
-160	4.72
-180	4.52
-200	4.30
-220	4.08
-240	3.83


T	α
-280	3.33
-300	3.07
-320	2.76
-340	2.45

Data and model


$$\alpha = 6.0248 + 0.0093868T$$



Plot of Residuals




Histograms of Residuals





END

**What polynomial model to choose
if one needs to be chosen?**


Which model to choose?



Optimum Polynomial: Wrong Criterion




Optimum Polynomial of Regression



END

Effect of an Outlier

Effect of Outlier



Effect of Outlier

